

Product Name: Slaked Lime Solution

Part No / SKU: RXSOL-81-1495-210

Date of Issue: September 09, 2026

Document Type: Material Safety Data Sheet (MSDS)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name	Slaked Lime Solution
Part Number	RXSOL-81-1495-210

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 ::::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmarine.com

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Cas No	EC No	Whight	Formula
calcium hydroxide for analysis EMSURE® Acs ,Reag, ph Eur	1305-62-0	215-137-3	74.1 g/mol	Ca(OH) ²

3. HAZARDS IDENTIFICATION

Signal Word	Danger
Hazard Statements	H300 + H310 Fatal if swallowed or in contact with skin.
Precautionary statements	P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/ protective clothing. P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a POISON CENTER/ doctor.
Classification of the substance or mixture	Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.
Supplemental Hazard Statements	None
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. FIRST AID MEASURES

General advice	Show this material safety data sheet to the doctor in attendance
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Swallowed	immediately make Victim drink water
Skin Contact	In case of skin contact : take out immediately all contaminated clothing rinse skin with water /shower
Inhalation	fresh air
Ingestion	Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. FIRE FIGHTING MEASURES

Flammability	May be combustible at high temperature.
Suitable extinguishing media	use extinguishing measures that are the appropriate to local circumstances and then surrounding environment
Unsuitable extinguishing media	for the substance /mixture no limitation extinguishing agents are given
Special hazards arising from the substance or mixture	Carbon oxides Nitrogen oxides (NOx) Combustible.
Further information	prevent fire extinguishing water from contaminating surface water or ground water system
Hazardous combustion products	Fire may cause the evolution of Sulphur oxides, nitrogen oxides.
Advice for firefighters	stay in danger area only with self contained breathing apparatus prevent skin contact by keeping a safe distance or by a wearing suitable protective clothing
Protective Equipment	Use personal protective equipment.
Specific Hazards Arising from the Chemical	Has a fire-promoting effect due to the release of oxygen. Ambient fire may liberate hazardous vapours.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Advice for non Emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate danger area, observe emergency procedure, consult and expert.
Spillage	Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas if needed. Eliminate all ignition sources. Call for assistance on disposal.
Personal Protection	Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.
Environmental Precaution	Do not let product enter drains
Methods and materials for containment and cleaning	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Reference to other sections	For disposal see section 13.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion	Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.
Incompatible materials	Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.
Hygiene measures	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. For precautions see section 2.2.
Advice on safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.
Conditions for safe storage, including any incompatibilities	Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Moisture sensitive.
Storage conditions	Do not use light weight metal containers. Tightly closed, dry. Recommended storage temperature see label product label.
Storage class	Storage class (TRGS 510): 3: Flammable liquids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.
Advice on general occupational hygiene	Advice on safe handling. Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure controls	No specific additional engineering controls are required. Provide good natural or artificial ventilation.
Engineering Control	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Eye/face protection	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Body Protection	Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Full contact Material: butyl-rubber Minimum layer thickness: 0,3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M) Splash contact Material: Chloroprene Minimum layer thickness: 0,6 mm Break through time: 30 min Material tested:Camapren® (KCL 722 / Aldrich Z677493, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Other Protection Measure	Handle in accordance with good industrial hygiene and safety practice.
Control of environmental exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	solid
Colour	white
Odour	No data available
Odor Threshold	Not Applicable
pH	12,4 - 12,6 at 20 °C
Melting Point	>= 450 °C
Boiling Point	2.850 °C - (decomposition)
Flash Point	6 °C - closed cup
Evaporation Rate	Not Applicable
Flammability (solid, gas)	No data available
Explosive limits	No Data Available
Upper/lower flammability or explosive limits	No data available
Autoignition temperature	> 400 °C
Decomposition temperature	No data available
Vapour pressure	No data available
Viscosity	No data available
Density	2,240 g/cm ³ at 20 °C
Relative Density	2,22 at 20 °C - OECD Test Guideline 109
Specific Gravity	No data available
Partition coefficient	No data available
Explosive properties	No data available
Solubility	1,85 g/l at 20 °C
Ignition temperature	No information available.
Particle characteristics	No data available

10. STABILITY AND REACTIVITY

Reactivity	No data available
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	Exothermic reaction with: hydrogen sulphide Light metals phosphorus organic nitro compounds acids Risk of explosion with: anhydrides
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Light metals
Hazardous decomposition products	In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

Acute toxicity	LD50 Oral - Rat - female - > 2.000 mg/kg (OECD Test Guideline 425) LC50 Inhalation - Rat - male and female - 4 h - > 6,04 mg/l - dust/mist
Skin corrosion/irritation	Skin - Rabbit Result: Irritating to skin. (OECD Test Guideline 404)
Serious eye damage/irritation	Eyes - Rabbit Result: Irreversible effects on the eye (OECD Test Guideline 405) Remarks: Risk of corneal clouding. Risk of blindness!
Respiratory or skin sensitization	No data available
Carcinogenicity	No data available
Germ cell mutagenicity	Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Additional Information	RTECS: UF9625000 Lung irritation, Cyanosis, Central nervous system depression To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 50,6 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 49,1 mg/l - 48 h (OECD Test Guideline 202)
Toxicity	Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.520 mg/l - 96 h
Toxicity to bacteria	EC10 - Bacteria - 14 mg/l - 72 h Remarks: (Lit.) EC5 - E.coli - 15.000 mg/l Remarks: (Lit.) (maximum permissible toxic concentration)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 184,6 mg/l - 72 h (OECD Test Guideline 201)
Products Biodegradation	The methods for determining the biological degradability are not applicable to inorganic substances.
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	No data available
Other adverse effects	No data available .

13. DISPOSAL CONSIDERATIONS

Waste treatment Method	No data available
------------------------	-------------------

14. TRANSPORT INFORMATION

UN number	ADR/RID:	IMDG:	IATA:
UN proper shipping name	ADR/RID:	IMDG:	IATA:
Transport hazard class(es)	ADR/RID:	IMDG:	IATA:
Packaging group	ADR/RID:	IMDG:	IATA:
Environmental hazards	ADR/RID: No	IMDG: No	IATA: No
Special precautions for user	No data available		
Further information	Not classified as dangerous in the meaning of transport regulations.		

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	A Chemical Safety Assessment has been carried out for this substance.

16. OTHER INFORMATION AND DISCLAIMER

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages. DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.
-------------------	--