

**Product Name:** HEXAMETHYLENEIMINE**Part No / SKU:** RXSOL-19-1314-025**Date of Issue:** September 09, 2026**Document Type:** Material Safety Data Sheet (MSDS)**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

|              |                     |
|--------------|---------------------|
| Product Name | HEXA METHYLENEIMINE |
| Part Number  | RXSOL-19-1314-025   |

## Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

|         |                                                          |
|---------|----------------------------------------------------------|
| Phone   | +91 22 20871200 - 1400                                   |
| Fax     | +91 22 27612100 :::AOH :0091 9821214367                  |
| Email   | <a href="mailto:mail@rxmarine.com">mail@rxmarine.com</a> |
| Website | <a href="http://www.rxmraine.com">www.rxmraine.com</a>   |

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

| Chemical Name      | CAS      | EC number | Weight  | Formula      |
|--------------------|----------|-----------|---------|--------------|
| Hexamethyleneimine | 111-49-9 | 203-875-9 | = 100 % | $C_6H_{13}N$ |

### 3. HAZARDS IDENTIFICATION

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Signal Word                                | Danger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Hazard Statements                          | H225 Highly flammable liquid and vapor. H300 Fatal if swallowed. H314 Causes severe skin burns and eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Precautionary statements                   | P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.                                                                                                                                        |
| Classification of the substance or mixture | Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Supplemental Hazard Statements             | None.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Other hazards                              | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |

### 4. FIRST AID MEASURES

|                                                                            |                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                                             | First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.                                                                                                                                                                                                                                                                            |
| If inhaled                                                                 | After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.                                                                                                                                                                                                                                   |
| Eye Contact                                                                | After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.                                                                                                                                                                                                                                                                        |
| Swallowed                                                                  | If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise. |
| Skin Contact                                                               | In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.                                                                                                                                                                                                                                                 |
| Inhalation                                                                 | Remove patient to fresh air, keep warm and at rest and get medical assistance in necessary.                                                                                                                                                                                                                                                                                           |
| Ingestion                                                                  | Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.                                                                                                                                                                                                                            |
| Most important symptoms and effects, both acute and delaye                 | The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11                                                                                                                                                                                                                                                                   |
| Indication of any immediate medical attention and special treatment needed | No data available                                                                                                                                                                                                                                                                                                                                                                     |

## 5. FIRE FIGHTING MEASURES

|                                                       |                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flammability                                          | May be combustible at high temperature.                                                                                                                                                                                                                                              |
| Suitable extinguishing media                          | Carbon dioxide (CO2) Foam Dry powder                                                                                                                                                                                                                                                 |
| Unsuitable extinguishing media                        | For this substance/mixture no limitations of extinguishing agents are given..                                                                                                                                                                                                        |
| Special hazards arising from the substance or mixture | Carbon oxides Nitrogen oxides (NOx) Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures. |
| Further information                                   | Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.                                                                |
| Hazardous combustion products                         | Fire may cause the evolution of Sulphur oxides, nitrogen oxides.                                                                                                                                                                                                                     |
| Advice for firefighters                               | Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.                                                                                                                        |
| Protective Equipment                                  | Use personal protective equipment.                                                                                                                                                                                                                                                   |
| Specific Hazards Arising from the Chemical            | Has a fire-promoting effect due to the release of oxygen.<br>Ambient fire may liberate hazardous vapours.                                                                                                                                                                            |

## 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.                                               |
| Spillage                                                            | Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition sources. Call for assistance on disposal. |
| Personal Protection                                                 | Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.                                                                                                                          |
| Environmental Precaution                                            | Do not let product enter drains. Risk of explosion.                                                                                                                                                                                                                                                                                     |
| Methods and materials for containment and cleaning                  | Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.                                                                                                      |

## 7. HANDLING AND STORAGE

|                                                              |                                                                                                                                                                                                 |
|--------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on protection against fire and explosion              | Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge..                                                                        |
| Incompatible materials                                       | Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.                                                       |
| Hygiene measures                                             | Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.                                  |
| Precautions for safe handling                                | Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.                                                                                                         |
| Conditions for safe storage, including any incompatibilities | Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.                                                   |
| Storage conditions                                           | Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. |
| Storage class                                                | Storage class (TRGS 510): 3: Flammable liquids                                                                                                                                                  |
| Specific end use(s)                                          | Apart from the uses mentioned in section 1.2 no other specific uses are stipulated                                                                                                              |
| Advice on general occupational hygiene                       | Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.                                                                       |
| Requirements for storage                                     | Keep in cool and store under shade.                                                                                                                                                             |

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exposure controls                 | No specific additional engineering controls are required. Provide good natural or artificial ventilation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Engineering Control               | Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.                                                                                                                                                                                                                                                                                                                                                                       |
| Eye/face protection               | Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Body Protection                   | Flame retardant antistatic protective clothing.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Skin protection                   | This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Splash contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 30 min Material tested:Butoject® (KCL 898) Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatrill® |
| Respiratory protection            | Recommended Filter type: Filter type B The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.                                                                                                                                                                                                                                                                                                                                                                                          |
| Other Protection Measure          | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Control of environmental exposure | Do not let product enter drains. Risk of explosion.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                              |                            |
|----------------------------------------------|----------------------------|
| Physical state                               | Clear, liquid              |
| Colour                                       | Colorless                  |
| Odour                                        | Amine-like                 |
| Odor Threshold                               | Not Applicable             |
| pH                                           | No data available          |
| Melting Point                                | -37 °C                     |
| Boiling Point                                | 138 °C at 999 hPa - lit.   |
| Flash Point                                  | No data available          |
| Evaporation Rate                             | Not Applicable             |
| Flammability (solid, gas)                    | No data available          |
| Explosive limits                             | No Data Available          |
| Upper/lower flammability or explosive limits | No data available          |
| Autoignition temperature                     | No data available          |
| Decomposition temperature                    | > 300 °C                   |
| Viscosity,kinematic                          | No data available          |
| Vapour pressure                              | 12,5 hPa at 20 °C          |
| Density                                      | 0,88 g/cm3 at 25 °C - lit. |
| Relative Vapour Density                      | 3,43 - (Air = 1.0)         |
| Freezing point                               | No data available          |
| Specific Gravity                             | No data available          |
| Partition coefficient                        | log Pow: 1,7 at 20 °C      |
| Explosive properties                         | No data available          |
| Solubility                                   | at 20 °C soluble           |
| Ignition temperature                         | No information available.  |
| Particle characteristics                     | No data available          |

## 10. STABILITY AND REACTIVITY

|                                    |                                                                                         |
|------------------------------------|-----------------------------------------------------------------------------------------|
| Reactivity                         | Vapors may form explosive mixture with air.                                             |
| Stability                          | The product is chemically stable under standard ambient conditions (room temperature) . |
| Possibility of hazardous reactions | Violent reactions possible with: Strong oxidizing agents Strong acids                   |
| Conditions to avoid                | Warming.                                                                                |
| Incompatible materials             | No data available                                                                       |
| Hazardous Polymerization           | In the event of fire: see section 5                                                     |

## 11. TOXICOLOGICAL INFORMATION

|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute toxicity                                   | LD50 Oral - Rat - 410 mg/kg Remarks: (External MSDS) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. LD50 Oral - Rat - 20,7 mg/kg Remarks: Behavioral:Food intake (animal). Lungs, Thorax, or Respiration:Pulmonary emboli. Liver:Other changes. LC50 Inhalation - Mouse - 2 h - 10.800 mg/m3 Dermal: No data available                                                                                                                                                                                                                                                                                                                                                                                                |
| Skin corrosion/irritation                        | Skin - Rabbit Result: Corrosive after 1 to 4 hours of exposure - 4 h Remarks: (ECHA)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Serious eye damage/eye irritation                | Eyes - Rabbit Result: Causes burns. Remarks: (Lit.) Remarks: Causes serious eye damage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Respiratory or skin sensitization                | No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Carcinogenicity                                  | No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Germ cell mutagenicity                           | Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative                                                                                                                                                                                                                                                                                                                                                                                                    |
| Reproductive toxicity                            | No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Specific target organ toxicity - single exposure | Inhalation - May cause respiratory irritation. - Respiratory system                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Special Remarks on other Toxi Effects on Humans  | Acute Potential Health Effects: Skin: Causes skin irritation. May cause skin sensitization, an allergic reation, which becomes evident upon re-exposure to this material. Eyes: Causes eye irritation. Ingestion: Causes gastrointestinal (digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed. Inhalation: Causes respiratory tract irritation. May cause chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larynx. Chronic Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism.                                                                                                |
| Additional Information                           | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 50 mg/kg RTECS: CM3150000 Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice. |

## 12. ECOLOGICAL INFORMATION

|                                                     |                                                                                                                                                                                                                                                             |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Persistence and degradability                       | Biodegradability Result: > 60 % - Moderately (partly) eliminable (DOC reduction 20- 70 %). (OECD Test Guideline 302B) Remarks: (External MSDS)                                                                                                              |
| Bioaccumulative potential                           | No data available                                                                                                                                                                                                                                           |
| Toxicity to fish                                    | Flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96 h (OECD Test Guideline 203)                                                                                                                                                  |
| Toxicity to daphnia and other aquatic invertebrates | Flow-through test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)                                                                                                                                                           |
| Toxicity to algae                                   | Static test ErC50 - Selenastrum capricornutum (green algae) - 88 mg/l - 72 h (OECD Test Guideline 201) static test NOEC - Selenastrum capricornutum (green algae) - 10 mg/l - 72 h (OECD Test Guideline 201)                                                |
| Toxicity to bacteria                                | EC5 - Bacteria - 127 mg/l Remarks: (Hommel)                                                                                                                                                                                                                 |
| Mobility in soil                                    | No Information available                                                                                                                                                                                                                                    |
| Results of PBT and vPvB assessment                  | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.                                                          |
| Endocrine disrupting properties                     | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
| Other adverse effects                               | Biological effects: Forms corrosive mixtures with water even if diluted. Discharge into the environment must be avoided.                                                                                                                                    |

## 13. DISPOSAL CONSIDERATIONS

|                        |                                                                                                                                                                                                                                                          |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Disposal methods       | The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems. |
| Contaminated packaging | Dispose of as unused product.                                                                                                                                                                                                                            |
| Waste treatment Method | No data available .                                                                                                                                                                                                                                      |

## 14. TRANSPORT INFORMATION

|                                                |                                                                                   |
|------------------------------------------------|-----------------------------------------------------------------------------------|
| UN number                                      | ADR/RID: 2493      IMDG: 2493      IATA: 2493                                     |
| UN proper shipping name                        | ADR/RID:Hexamethyleneimine    IMDG: Hexamethyleneimine    IATA:Hexamethyleneimine |
| Transport hazard class(es)                     | ADR/RID: 3 (8)      IMDG: 3 (8)      IATA: 3 (8)                                  |
| Packaging group                                | ADR/RID: II      IMDG: II      IATA: II                                           |
| Environmental hazards                          | ADR/RID: No      IMDG: No      IATA: No                                           |
| Special precautions for user                   | Tunnel restriction code : (C/E)                                                   |
| Further information                            | Not classified as dangerous in the meaning of transport regulations.              |
| Transport in bulk according to IMO instruments | No data available                                                                 |

## 15. REGULATORY INFORMATION

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inventory status                                                                               | Components are on the following inventories: Polymaleic acid: - US TSCA, Canadian DSL, EU EINECS, Australian AICS, Korean, Philippine PICCS and Chinese Xi irritant R 36/38 Irritant to eyes & skin R 41 Risk of serious damage to eyes S24/25 Avoid contact with skin and eyes S26/28 In case of contact eyes & skin, rinse with plenty water and seek medical advice Section 312/313: Not listed. Not listed under California proposition 65. |
| Safety, health and environmental regulations/legislation specific for the substance or mixture | This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.                                                                                                                                                                                                                                                                                                                                                |
| National legislation                                                                           | Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. H2 ACUTE TOXIC P5c FLAMMABLE LIQUIDS                                                                                                                                                                                                                                                    |
| Other regulations                                                                              | Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.                                                                                                                                                                                                                                 |
| Chemical Safety Assessment                                                                     | For this product a chemical safety assessment was not carried out                                                                                                                                                                                                                                                                                                                                                                               |

## 16. OTHER INFORMATION AND DISCLAIMER

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Information | <p>The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if RX Marine International has been advised of the possibility of such damages.</p> <p>DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.</p> |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|