

**Product Name:** Acetone Pure ( CH<sub>3</sub>)<sub>2</sub>CO - 50 Ltr

**Part No / SKU:** RXSOL-20-1214-281

**Date of Issue:** September 09, 2026

**Document Type:** Material Safety Data Sheet (MSDS)

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

|              |                                                           |
|--------------|-----------------------------------------------------------|
| Product Name | Acetone Pure ( CH <sub>3</sub> ) <sub>2</sub> CO - 50 Ltr |
| Part Number  | RXSOL-19-1214-281                                         |

### Company Details:

RX MARINE INTERNATIONAL

105, A wing , BSEL , TECH PARK.

VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

|         |                                                          |
|---------|----------------------------------------------------------|
| Phone   | +91 22 20871200 - 1400                                   |
| Fax     | +91 22 27612100 :::AOH :0091 9821214367                  |
| Email   | <a href="mailto:mail@rxmarine.com">mail@rxmarine.com</a> |
| Website | <a href="http://www.rxmarine.com">www.rxmarine.com</a>   |

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | Cas No  | EC No     | Whight | Formula                         |
|---------------|---------|-----------|--------|---------------------------------|
| Acetone       | 67-64-1 | 200-662-2 | 100 %  | C <sub>3</sub> H <sub>6</sub> O |

## 3. HAZARDS IDENTIFICATION

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Signal Word                                | Danger                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Hazard Statements                          | H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.                                                                                                                                                                                                                                                                                                                                     |
| Precautionary statements                   | P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use non-sparking tools. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Classification of the substance or mixture | Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.                                                                                                                                                                                                                                                                                                                                                                         |
| Supplemental Hazard Statements             | EUH066 Repeated exposure may cause skin dryness or cracking.                                                                                                                                                                                                                                                                                                                                                                                            |
| Other hazards                              | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.                                                                                                                                                                                                                                                      |

#### 4. FIRST AID MEASURES

|                                                                            |                                                                                                                                                            |
|----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                                             | Show this material safety data sheet to the doctor in attendance.                                                                                          |
| If inhaled                                                                 | After inhalation: fresh air. Call in physician.                                                                                                            |
| Eye Contact                                                                | After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.                                                         |
| Swallowed                                                                  | After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.                                                          |
| Skin Contact                                                               | In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.                                                     |
| Inhalation                                                                 | Remove patient to fresh air, keep warm and at rest and get medical assistance in necessary.                                                                |
| Ingestion                                                                  | Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately. |
| Most important symptoms and effects, both acute and delaye                 | The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11                                        |
| Indication of any immediate medical attention and special treatment needed | No data available                                                                                                                                          |

#### 5. FIRE FIGHTING MEASURES

|                                                       |                                                                                                                                                                                                                                                                |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flammability                                          | May be combustible at high temperature.                                                                                                                                                                                                                        |
| Suitable extinguishing media                          | Carbon dioxide (CO2) Foam Dry powder                                                                                                                                                                                                                           |
| Unsuitable extinguishing media                        | For this substance/mixture no limitations of extinguishing agents are given.                                                                                                                                                                                   |
| Special hazards arising from the substance or mixture | Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures. |
| Further information                                   | Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.                                                                                                           |
| Hazardous combustion products                         | Fire may cause the evolution of Sulphur oxides, nitrogen oxides.                                                                                                                                                                                               |
| Advice for firefighters                               | In the event of fire, wear self-contained breathing apparatus.                                                                                                                                                                                                 |
| Protective Equipment                                  | Use personal protective equipment.                                                                                                                                                                                                                             |
| Specific Hazards Arising from the Chemical            | Has a fire-promoting effect due to the release of oxygen.<br>Ambient fire may liberate hazardous vapours.                                                                                                                                                      |

## 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.                                               |
| Spillage                                                            | Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition sources. Call for assistance on disposal. |
| Personal Protection                                                 | Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.                                                                                                                          |
| Environmental Precaution                                            | Do not let product enter drains. Risk of explosion.                                                                                                                                                                                                                                                                                     |
| Methods and materials for containment and cleaning                  | Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.                                                                                                                |
| Reference to other sections                                         | For disposal see section 13.                                                                                                                                                                                                                                                                                                            |

## 7. HANDLING AND STORAGE

|                                                              |                                                                                                                                                 |
|--------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on protection against fire and explosion              | Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.                         |
| Incompatible materials                                       | Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.       |
| Hygiene measures                                             | Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2. |
| Precautions for safe handling                                | Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.                                                         |
| Conditions for safe storage, including any incompatibilities | Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.   |
| Storage conditions                                           | Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.                                  |
| Storage class                                                | Storage class (TRGS 510): 3: Flammable liquids                                                                                                  |
| Specific end use(s)                                          | Apart from the uses mentioned in section 1.2 no other specific uses are stipulated                                                              |

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| Application Area | Routes of exposure | Health effect              | Value                  |
|------------------|--------------------|----------------------------|------------------------|
| Workers          | Skin contact       | Long-term systemic effects | 186mg/kg BW/d          |
| Consumers        | Ingestion          | Long-term systemic effects | 62mg/kg BW/d           |
| Consumers        | Skin contact       | Long-term systemic effects | 62mg/kg BW/d           |
| Workers          | Inhalation         | Acute systemic effects     | 2420 mg/m <sup>3</sup> |
| Workers          | Inhalation         | Long-term systemic effects | 1210 mg/m <sup>3</sup> |

| Compartment          | Value      |
|----------------------|------------|
| Soil                 | 33,3 mg/kg |
| Sea water            | 1,06 mg/l  |
| Fresh water          | 10,6 mg/l  |
| Sea sediment         | 3,04 mg/kg |
| Fresh water sediment | 30,4 mg/kg |

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exposure controls                 | No specific additional engineering controls are required. Provide good natural or artificial ventilation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Engineering Control               | Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Eye/face protection               | Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Body Protection                   | Flame retardant antistatic protective clothing.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Skin protection                   | This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). Splash contact Material: Latex gloves Minimum layer thickness: 0,6 mm Break through time: 10 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M) |
| Respiratory protection            | Required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type AX The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Other Protection Measure          | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Control of environmental exposure | Do not let product enter drains. Risk of explosion.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                              |                                         |
|----------------------------------------------|-----------------------------------------|
| Physical state                               | Clear, liquid                           |
| Colour                                       | Colorless                               |
| Odour                                        | No data available                       |
| Odor Threshold                               | Not Applicable                          |
| pH                                           | 5 - 6 at 395 g/l at 20 °C               |
| Melting Point                                | 94 °C - lit.                            |
| Boiling Point                                | 56 °C at 1.013 hPa - lit.               |
| Flash Point                                  | 17,0 °C - closed cup                    |
| Evaporation Rate                             | Not Applicable                          |
| Flammability (solid, gas)                    | No data available                       |
| Explosive limits                             | No Data Available                       |
| Upper/Lower flammability or explosive limits | 13 %(V) / 2 %(V)                        |
| Autoignition temperature                     | 465,0 °C                                |
| Decomposition temperature                    | No data available                       |
| Vapour pressure                              | 245,3 hPa at 20,0 °C                    |
| Density                                      | 0,791 g/cm <sup>3</sup> at 25 °C - lit. |
| Relative Vapor Density                       | No data available                       |
| Freezing point                               | No data available                       |
| Specific Gravity                             | No data available                       |
| Partition coefficient                        | No data available                       |
| Explosive properties                         | No data available                       |
| Solubility                                   | No data available                       |
| Ignition temperature                         | No information available.               |
| Particle characteristics                     | No data available                       |

## 10. STABILITY AND REACTIVITY

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | Vapors may form explosive mixture with air.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Stability                          | The product is chemically stable under standard ambient conditions (room temperature) .                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Possibility of hazardous reactions | Risk of ignition or formation of inflammable gases or vapours with: chromosulfuric acid chromyl chloride ethanolamine Fluorine Strong oxidizing agents strong reducing agents Nitric acid chromium(VI) oxide Risk of explosion with: nonmetallic oxyhalides halogen-halogen compounds Chloroform nitrating acid nitrosyl compounds hydrogen peroxide halogen oxides organic nitro compounds peroxi compounds Exothermic reaction with: Bromine Alkali metals alkali hydroxides Halogenated hydrocarbon Sulfur dichloride phosphorous oxichloride |
| Conditions to avoid                | Warming.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Incompatible materials             | Rubber, various plastics                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Hazardous Polymerization           | In the event of fire: see section 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## 11. TOXICOLOGICAL INFORMATION

|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute toxicity                                   | LD50 Oral - Rat - female - 5.800 mg/kg Remarks: (ECHA) LC50 Inhalation - Rat - 4 h - 76 mg/l - vapor Remarks: Unconsciousness Drowsiness Dizziness (External MSDS) LD50 Dermal - Rabbit - 20.000 mg/kg Remarks: (IUCLID)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Skin corrosion/irritation                        | Skin - Rabbit Result: Mild skin irritation - 24 h (Draize Test) Remarks: (RTECS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Serious eye damage/eye irritation                | Eyes - Rabbit Result: Eye irritation - 24 h (Draize Test) Remarks: (RTECS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Respiratory or skin sensitization                | Maximization Test - Guinea pig Result: Not a skin sensitizer. Remarks: (ECHA) Chronic exposure may cause dermatitis.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Carcinogenicity                                  | No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Germ cell mutagenicity                           | Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: without metabolic activation Method: OECD Test Guideline 476 Result: negative                                                                                                                 |
| Reproductive toxicity                            | No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Specific target organ toxicity - single exposure | No data available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Endocrine disrupting properties                  | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: AL3150000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. After absorption: Headache Salivation Nausea Vomiting Dizziness narcosis Coma Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice. Kidney - Irregularities - Based on Human Evidence Skin - Dermatitis - Based on Human Evidence |

## 12. ECOLOGICAL INFORMATION

|                                                     |                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Persistence and degradability                       | Biodegradability aerobic - Exposure time 28 d Result: 91 % - Readily biodegradable. (OECD Test Guideline 301B) Biochemical Oxygen Demand (BOD) 1.850 mg/g Remarks: (IUCLID) Chemical Oxygen Demand (COD) 2.070 mg/g Remarks: (IUCLID) Theoretical oxygen demand 2.200 mg/g Remarks: (Lit.) |
| Bioaccumulative potential                           | Does not bioaccumulate.                                                                                                                                                                                                                                                                    |
| Toxicity to fish                                    | Flow-through test LC50 - Pimephales promelas (fathead minnow) - 6.210 mg/l - 96 h (OECD Test Guideline 203)                                                                                                                                                                                |
| Toxicity to daphnia and other aquatic invertebrates | Static test LC50 - Daphnia pulex (Water flea) - 8.800 mg/l - 48 h Remarks: (ECHA)                                                                                                                                                                                                          |
| Toxicity to bacteria                                | Static test EC50 - activated sludge - 61,15 mg/l - 30 min (OECD Test Guideline 209)                                                                                                                                                                                                        |
| Toxicity to algae                                   | Static test NOEC - M.aeruginosa - 530 mg/l - 8 d (DIN 38412) Remarks: (maximum permissible toxic concentration) (IUCLID)                                                                                                                                                                   |
| Products Biodegradation                             | The methods for determining the biological degradability are not applicable to inorganic substances.                                                                                                                                                                                       |
| Mobility in soil                                    | No Information available                                                                                                                                                                                                                                                                   |
| Results of PBT and vPvB assessment                  | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.                                                                                         |
| Endocrine disrupting properties                     | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.                                |
| Other adverse effects                               | No data available                                                                                                                                                                                                                                                                          |

## 13. DISPOSAL CONSIDERATIONS

|                        |                                                                                                                                                                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Disposal methods       | The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.                                                                           |
| Contaminated packaging | Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials. |
| Waste treatment Method | No data available                                                                                                                                                                                                                                                                                                                  |

## 14. TRANSPORT INFORMATION

|                              |                                                                      |               |              |
|------------------------------|----------------------------------------------------------------------|---------------|--------------|
| UN number                    | ADR/RID:1090                                                         | IMDG: 1090    | IATA: 1090   |
| UN proper shipping name      | ADR/RID: Acetone                                                     | IMDG: Acetone | IATA:Acetone |
| Transport hazard class(es)   | ADR/RID: 3                                                           | IMDG: 3       | IATA:3       |
| Packaging group              | ADR/RID:II                                                           | IMDG: II      | IATA: II     |
| Environmental hazards        | ADR/RID: No                                                          | IMDG: No      | IATA: No     |
| Special precautions for user | Tunnel restriction code : (C/E)                                      |               |              |
| Further information          | Not classified as dangerous in the meaning of transport regulations. |               |              |

## 15. REGULATORY INFORMATION

|                                                                                                |                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Safety, health and environmental regulations/legislation specific for the substance or mixture | This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.                                                                              |
| Other regulations                                                                              | Take note of Dir 94/33/EC on the protection of young people at work.                                                                                                          |
| Authorisations and/or restrictions on use                                                      | Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : acetone                                                                                         |
| National legislation                                                                           | Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS |
| Chemical Safety Assessment                                                                     | A Chemical Safety Assessment has been carried out for this substance.                                                                                                         |

## 16. OTHER INFORMATION AND DISCLAIMER

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Information | <p>The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.</p> <p>DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.</p> |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|