

Product Name: EDTA Di Sodium Salt

Part No / SKU: RXSOL-42-6168-025

Date of Issue: September 09, 2026

Document Type: Material Safety Data Sheet (MSDS)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name	EDTA Di Sodium Salt
Part Number	RXSOL-42-6168-025

Company Details:

RX MARINE INTERNATIONAL
 105, A wing , BSEL , TECH PARK.
 VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 ::::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmarine.com

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS	EC number	Weight	Formula
Edetate disodium dihydrate	6381-92-6	205-358-3	= 100 %	C ₁₀ H ₁₄ N ₂ Na ₂ O ₈ · 2H ₂ O

3. HAZARDS IDENTIFICATION

Signal Word	Warning
Hazard Statements	H332 Harmful if inhaled. H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.
Precautionary statements	P260 Do not breathe dust. P271 Use only outdoors or in a well-ventilated area. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P314 Get medical advice/ attention if you feel unwell. P501 Dispose of contents/ container to an approved waste disposal plant.
Classification of the substance or mixture	Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.
Supplemental Hazard Statements	None.
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. FIRST AID MEASURES

General advice	Show this material safety data sheet to the doctor in attendance.
If inhaled	After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.
Eye Contact	After eye contact: rinse out with plenty of water. Remove contact lenses.
Swallowed	After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
Skin Contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.
Inhalation	Remove patient to fresh air, keep warm and at rest and get medical assistance in necessary.
Ingestion	Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
Indication of any immediate medical attention and special treatment needed	No data available

5. FIRE FIGHTING MEASURES

Flammability	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Flash Point	Dry powder Dry sand
Suitable extinguishing media	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Carbon oxides Nitrogen oxides (NOx) Sodium oxides Combustible. Fire may cause evolution of: nitrogen oxides Development of hazardous combustion gases or vapours possible in the event of fire.
Further information	Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Hazardous combustion products	Fire may cause the evolution of Sulphur oxides, nitrogen oxides.
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Protective Equipment	Use personal protective equipment.
Specific Hazards Arising from the Chemical	Oxides of phosphorus Sodium oxides Not combustible. Fire may cause evolution of: Oxides of phosphorus Ambient fire may liberate hazardous vapours.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Avoid inhalation of vapours/aerosols or dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Spillage	Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition sources. Call for assistance on disposal.
Environmental Precaution	Do not let product enter drains.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with suitable equipment. Dispose of properly. Clean up affected area.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Incompatible materials	Keep away from alkalis, strong oxidizing agents and metals. Provide containment walls of adequate capacity to hold any accidental spills.
Hygiene measures	Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.
Precautions for safe handling	Work under hood. Do not inhale substance/mixture.
Storage conditions	No aluminium, tin, or zinc containers. Tightly closed. Dry. Recommended storage temperature see product label.
Storage class	Storage class (TRGS 510): 11: Combustible Solids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
Advice on general occupational hygiene	Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.
Requirements for storage	Keep in cool and store under shade.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Worker DNEL, acute	Inhalation	Local effects	3 mg/m ³
Worker DNEL, longterm	Inhalation	Local effects	1,5 mg/m ³
Consumer DNEL, acute	Inhalation	Local effects	1,2 mg/m ³
Consumer DNEL, acute	Inhalation	Local effects	0,6 mg/m ³

Predicted No Effect Concentration (PNEC)

Compartment	Value
Sea water	0,22 mg/l
Fresh water	2,2 mg/l
Aquatic intermittent release	1,2 mg/l
Sewage treatment plant	43 mg/l
Soil	0,72 mg/kg

Exposure controls	Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Control parameters	Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.
Engineering Control	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Body Protection	Protective clothing.
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatrill® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatrill® L
Respiratory protection	Required when dusts/vapours/aerosols are generated.
Other Protection Measure	Handle in accordance with good industrial hygiene and safety practice.
Control of environmental exposure	Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Crystals, deliquescent
Colour	White
Odour	Odorless
Odor Threshold	No data available
pH	No data available
Melting Point	No data available
Boiling Point	No data available
Flash Point	No data available
Evaporation Rate	Not Applicable
Flammability (solid, gas)	No data available
Explosive limits	No Data Available
Upper/lower flammability or explosive limits	No data available
Autoignition temperature	No data available
Decomposition temperature	255 °C
Vapour pressure	No data available
Density	No data available
Relative Density	No data available
Relative vapor density	No data available
Freezing point	No data available
Viscosity/Kinematic/Dynamic	No data available
Partition coefficient	No data available
Explosive properties	No data available
Solubility	No data available
Ignition temperature	No information available.
Particle characteristics	No data available

10. STABILITY AND REACTIVITY

Reactivity	No data available
Stability	The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	Violent reactions possible with: Strong oxidizing agents
Conditions to avoid	No data available
Incompatible materials	Aluminum, Copper, Copper alloys, Nickel, Zinc
Hazardous decomposition products	In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

Acute toxicity	LD50 Oral - Rat - male and female - 2.800 mg/kg (OECD Test Guideline 401) Remarks: The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt Acute toxicity estimate Inhalation - 1,6 mg/l - dust/mist (Expert judgment) Dermal: No data available
Skin corrosion/irritation	Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt
Serious eye damage/eye irritation	Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt
Respiratory or skin sensitization	Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt
Toxic Effects on Human	May cause damage to the following organs: upper respiratory tract. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer).
Carcinogenicity	No data available
Germ cell mutagenicity	Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium salt Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium salt Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium salt Test Type: In vivo micronucleus test Species: Mouse Application Route: Oral Method: OECD Test Guideline 474 Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

Bioaccumulative potential	Bioaccumulation <i>Lepomis macrochirus</i> (Bluegill sunfish) - 28 d at 21 °C - 0,08 mg/l (Edetate disodium dihydrate) Bioconcentration factor (BCF): 1,8 (OECD Test Guideline 305) Remarks: The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid, Tetrasodium salt
Persistence and degradability	Biodegradability Result: 2 % - Not readily biodegradable. (OECD Test Guideline 301D) Remarks: The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt
Toxicity to fish	Semi-static test LC50 - <i>Oncorhynchus mykiss</i> (rainbow trout) - > 100 mg/l - 96 h (OECD Test Guideline 203) Remarks: (ECHA) The value is given in analogy to the following substances: Sodium ferredetate
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - <i>Daphnia magna</i> (Water flea) - 140 mg/l - 48 h (DIN 38412) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt NOEC - <i>Daphnia magna</i> (Water flea) - 25 mg/l - 21 d Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt
Toxicity to algae	Static test - <i>Pseudokirchneriella subcapitata</i> (green algae) - > 60 mg/l - 72 h (OECD Test Guideline 201) Remarks: (ECHA) The value is given in analogy to the following substances: Sodium ferredetate
Toxicity to bacteria	NOEC - activated sludge - > 640 mg/l - 3 h (OECD Test Guideline 209) Remarks: (ECHA) The value is given in analogy to the following substances: Sodium ferredetate
Mobility in soil	No Information available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods	The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.
Contaminated packaging	Dispose of as unused product.
Waste treatment Method	No data available

14. TRANSPORT INFORMATION

UN number	ADR/RID:	IMDG:	IATA:
UN proper shipping name	ADR/RID:	IMDG:	IATA:
Transport hazard class(es)	ADR/RID:	IMDG:	IATA:
Packaging group	ADR/RID:	IMDG:	IATA:
Environmental hazards	ADR/RID: NO	IMDG: NO	IATA: NO
Further information	No data available		

15. REGULATORY INFORMATION

Inventory status	Components are on the following inventories: Polymaleic acid: - US TSCA, Canadian DSL, EU EINECS, Australian AICS, Korean, Philippine PICCS and Chinese Xi irritant R 36/38 Irritant to eyes & skin R 41 Risk of serious damage to eyes S24/25 Avoid contact with skin and eyes S26/28 In case of contact eyes & skin, rinse with plenty water and seek medical advice Section 312/313: Not listed. Not listed under California proposition 65.
Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	A Chemical Safety Assessment has been carried out for this substance.

16. OTHER INFORMATION AND DISCLAIMER

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages. DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.
-------------------	--